

Rodinal / R09 ONE SHOT

Entwicklungszeitentabelle

Film	Developer	Dilution	ISO	Minutes	Temp
Academy 200	Rodinal	1+50	200	21	20C
Acupan 200	Rodinal	1+49	100	7.5	20C
Acupan 800	Rodinal	1+24	400	6	20C
APX 100	Rodinal	1+50	50	11.5	20C
APX 100	Rodinal	1+24	64	7.5	20C
APX 100	Rodinal	1+50	100	13	20C
APX 100	Rodinal	1+50	100		20C
APX 100	Rodinal	1+25	125	8	20C
APX 100	Rodinal	1+50	160	17	20C
APX 100	Rodinal	1+25	200	11	20C
APX 100	Rodinal	1+50	400	29	20C
APX 25	Rodinal	1+49	12	6.5	20C
APX 25	Rodinal	1+25	20	6	20C
APX 25	Rodinal	1+50	20-25	10	20C
APX 25	Rodinal	1+25	25	7	20C
APX 400	Rodinal	1+50	200	10	20C
APX 400	Rodinal	1+25	250	5	20C
APX 400	Rodinal	1+50	250	8	20C
APX 400	Rodinal	1+25	320	10	20C
APX 400	Rodinal	1+50	320-500	11	20C
APX 400	Rodinal	1+50	320	30	20C
APX 400	Rodinal	1+25	320-400	7	20C
APX 400	Rodinal	1+25	800	14	20C
Arista EDU Ultra 100	Rodinal	1+25	100	3.5	20C
Arista EDU Ultra 100	Rodinal	1+50	100	7	20C
Arista EDU Ultra 200	Rodinal	1+50	200	10	20C
Arista EDU Ultra 200	Rodinal	1+25	200	5	20C
Arista EDU Ultra 200	Rodinal	1+50	200	8	20C
Arista EDU Ultra 400	Rodinal	1+50	400	11	20C
Arista EDU Ultra 400	Rodinal	1+25	400	5.5	20C
Arista II 100	Rodinal	1+50	50	11.5	20C
Arista II 100	Rodinal	1+25	64	7.5	20C

Arista II 100	Rodinal	1+50	100	13	20C
Arista II 100	Rodinal	1+25	125	8	20C
Arista II 100	Rodinal	1+50	160	17	20C
Arista II 100	Rodinal	1+25	200	11	20C
Arista II 100	Rodinal	1+50	400	29	20C
Arista II 400	Rodinal	1+50	200	10	20C
Arista II 400	Rodinal	1+25	250	5	20C
Arista II 400	Rodinal	1+50	250	8	20C
Arista II 400	Rodinal	1+50	320	30	20C
Arista II 400	Rodinal	1+25	320	10	20C
Arista II 400	Rodinal	1+25	320-400	7	20C
Arista II 400	Rodinal	1+50	320-500	11	20C
Arista II 400	Rodinal	1+25	800	14	20C
Arista Premium 100	Rodinal	1+25	125	6	20C
Arista Premium 100	Rodinal	1+50	125	13	20C
Arista Premium 100	Rodinal	1+85	200	12	24C
Arista Premium 400	Rodinal	1+50	100	7.5	20C
Arista Premium 400	Rodinal	1+50	200	9	20C
Arista Premium 400	Rodinal	1+24	320	6	20C
Arista Premium 400	Rodinal	1+60	400	15	20C
Arista Premium 400	Rodinal	1+75	400	17.5	20C
Arista Premium 400	Rodinal	1+35	400	10	20C
Arista Premium 400	Rodinal	1+25	400	7	20C
Arista Premium 400	Rodinal	1+50	400	13	20C
Arista Premium 400	Rodinal	1+50	640	15.5	20C
Arista Premium 400	Rodinal	1+50	800	16.5	20C
Arista Premium 400	Rodinal	1+50	1600	18.5	20C
Arista Premium 400	Rodinal	1+50	3200	33	20C
Arista Premium 400	Rodinal	1+50	3200	33	20C
Arista Premium 400	Rodinal	1+50	12800	51	20C
Aviphot APX 200 S	Rodinal	1+50	200	11	20C
Aviphot APX 200 S	Rodinal	1+25	200	5	20C
Aviphot APX 200 S	Rodinal	1+25	200	7	20C
Aviphot APX 400 S	Rodinal	1+50	200	6	24C
Aviphot APX 400 S	Rodinal	1+25	400	7	20C
Aviphot APX 400 S	Rodinal	1+50	400	11	20C

Aviphot APX 400 S	Rodinal Special	stock	400	4.5	20C
Aviphoto Ortho 25	Rodinal	1+99	6		20C
Azopan PS-21	Rodinal	1+25	100	5	20C
Azopan PS-24	Rodinal	1+25	200	6	20C
BPF/BRF 100	Rodinal	1+50	100		20C
BPF/BRF 100	Rodinal	1+25	100		20C
BPF/BRF 15	Rodinal	1+25	15		20C
BPF/BRF 200	Rodinal	1+25	125-200	6.5	20C
BPF/BRF 200	Rodinal	1+50	200	12	20C
Classic Pan 200	Rodinal	1+50	200		20C
Classic Pan 200	Rodinal	1+50	200	10	20C
Classic Pan 400	Rodinal	1+25	400	7.5	20C
Classic Pan 400	Rodinal	1+50	400	12	20C
Classic Pan 400	Rodinal	1+25	800	10	20C
Delta 100 Pro	Rodinal	1+50	50	10	20C
Delta 100 Pro	Rodinal	1+25	50	7	20C
Delta 100 Pro	Rodinal	1+25	100	9	20C
Delta 100 Pro	Rodinal	1+50	100	16	20C
Delta 3200 Pro	Rodinal	1+25	400	5.5	20C
Delta 3200 Pro	Rodinal	1+25	800	7	20C
Delta 3200 Pro	Rodinal	1+25	1600	9	20C
Delta 3200 Pro	Rodinal	1+63	1600	28	20C
Delta 3200 Pro	Rodinal	1+25	3200	11	20C
Delta 3200 Pro	Rodinal	1+25	6400	20	20C
Delta 400 Pro	Rodinal	1+25	200	6.5	20C
Delta 400 Pro	Rodinal	1+50	200	11	20C
Delta 400 Pro	Rodinal	1+25	250	7.5	20C
Delta 400 Pro	Rodinal	1+50	400	18	20C
Delta 400 Pro	Rodinal	1+25	400	8	20C
Delta 400 Pro	Rodinal	1+25	800	16	24C
Delta 400 Pro	Rodinal	1+16	1600		20C
Eastman Double-X (5222)	Rodinal	1+50	250	11	20C
Efke 100	Rodinal	1+50	50	9	20C
Efke 100	Rodinal	1+25	80	5	20C
Efke 100	Rodinal	1+25	100	6	20C
Efke 100	Rodinal	1+50	100	10	20C

Efke 100	Rodinal	1+25	160		20C
Efke 100	Rodinal	1+50	200	14	20C
Efke 100	Rodinal	1+25	400		20C
Efke 100	Rodinal	1+50	400	24	20C
Efke 25	Rodinal	1+50	12	3.5	20C
Efke 25	Rodinal	1+50	20	4	20C
Efke 25	Rodinal	1+50	25	8	20C
Efke 25	Rodinal	1+25	25	4	20C
Efke 50	Rodinal	1+50	40	9	20C
Efke 50	Rodinal	1+25	50	6	20C
Efke 50	Rodinal	1+25	80	5	20C
Efke 50	Rodinal	1+50	100	7	20C
Efke IR820	Rodinal	1+25	n/a	9	20C
Efke IR820	Rodinal	1+50	4		20C
Ektapan	Rodinal	1+50	100		21C
ERA 100	Rodinal	1+50	100	14	20C
Fomapan 100	Rodinal	1+25	100	3.5	20C
Fomapan 100	Rodinal	1+50	100	7	20C
Fomapan 200	Rodinal	1+25	200	5	20C
Fomapan 200	Rodinal	1+50	200	8	20C
Fomapan 200	Rodinal	1+50	200	10	20C
Fomapan 400	Rodinal	1+25	400	5.5	20C
Fomapan 400	Rodinal	1+50	400	11	20C
Fomapan 400	Rodinal	1+50	800		20C
Fomapan T800	Rodinal	1+50	800	13	20C
Fortepan 100	Rodinal	1+25	100	5	20C
Fortepan 100	Rodinal	1+50	100	9	20C
Fortepan 100	Rodinal	1+50	200	15	20C
Fortepan 200	Rodinal	1+25		7.5	20C
Fortepan 200	Rodinal	1+50	200		20C
Fortepan 200	Rodinal	1+50	200	10	20C
Fortepan 200	Rodinal	1+50	200	11	20C
Fortepan 200	Rodinal	1+25	200	5	24C
Fortepan 200	Rodinal	1+50	200	9	24C
Fortepan 400	Rodinal	1+25	400	7.5	20C
Fortepan 400	Rodinal	1+50	400	12	20C

Fortepan 400	Rodinal	1+25	800	10	20C
Fortepan Portrait	Rodinal	1+50	100		20C
FP4+	Rodinal	1+25	80	7.5	20C
FP4+	Rodinal	1+50	100	12	20C
FP4+	Rodinal	1+50	125	15	20C
FP4+	Rodinal	1+25	125	9	20C
FP4+	Rodinal	1+25	200	13	20C
FP4+	Rodinal	1+50	200	20	20C
FP4+	Rodinal	1+50	250	26	20C
HIE Infrared	Rodinal	1+25	n/a	9	20C
HIE Infrared	Rodinal	1+50	n/a	12	20C
HIE Infrared	Rodinal	1+50	400	12	20C
HIE Infrared	Rodinal	1+50	1600	20	20C
HP5+	Rodinal	1+50	200	10	20C
HP5+	Rodinal	1+25	200		20C
HP5+	Rodinal	1+50	400	7.25	24C
HP5+	Rodinal	1+50	400	11	20C
HP5+	Rodinal	1+25	400	6	20C
HP5+	Rodinal	1+25	800	8	20C
HP5+	Rodinal	1+50	800	16	20C
HP5+	Rodinal	1+50	1600	24	20C
HP5+	Rodinal	1+25	1600	12	20C
HP5+	Rodinal	1+25	3200	18	21C
Ilford Pan 100	Rodinal	1+25	100	9	20C
Ilford Pan 100	Rodinal	1+50	100	15	20C
Ilford Pan 100	Rodinal	1+25	200	13	20C
Ilford Pan 100	Rodinal	1+50	200	20	20C
Ilford Pan 400	Rodinal	1+50	200	9	20C
Ilford Pan 400	Rodinal	1+25	200	5	20C
Ilford Pan 400	Rodinal	1+25	400	6	20C
Ilford Pan 400	Rodinal	1+50	400	11	20C
Ilford Pan 400	Rodinal	1+25	800	8	20C
IR 750	Rodinal	1+50	n/a	5	20C
IR 750	Rodinal	1+75	n/a	9	20C
JandC Pro 100	Rodinal	1+50	100	13.5	20C
JandC Pro 100	Rodinal	1+25	100	8.5	20C

Jessop Pan 100s	Rodinal	1+25	100	8	20C
Jessop Pan 400s	Rodinal	1+25	400	7	20C
Maco CUBE400c	Rodinal	1+25	400	12	20C
Maco IR 820c/750c	Rodinal	1+25	n/a	9	20C
Maco IR 820c/750c	Rodinal	1+50	4		20C
Maco ORT25c	Rodinal	1+25	25	7	20C
Maco ORT25c	Rodinal	1+10	25	5	20C
Maco UP100p/PO100c	Rodinal	1+25	100	8	20C
Maco UP25P	Rodinal	1+25	25	7	20C
Maco UP400p	Rodinal	1+25	400	10	20C
Maco UP64c	Rodinal	1+25	64	7	20C
Neopan 100 Acros	Rodinal	1+50	50		20C
Neopan 100 Acros	Rodinal	1+50	80	11.5	20C
Neopan 100 Acros	Rodinal	1+50	100		20C
Neopan 100 Acros	Rodinal	1+50	100		24C
Neopan 100ss	Rodinal	1+50	100	14-16	20C
Neopan 100ss	Rodinal	1+25	100	7-10	20C
Neopan 1600	Rodinal	1+50	320	5	20C
Neopan 1600	Rodinal	1+25	400	3.5	20C
Neopan 1600	Rodinal	1+25	1600	5	20C
Neopan 1600	Rodinal	1+50	1600	8	20C
Neopan 400	Rodinal	1+50	200-250	8	20C
Neopan 400	Rodinal	1+25	250	4.5	20C
Neopan 400	Rodinal	1+25	400	6	20C
Neopan 400	Rodinal	1+50	400	11	20C
Neopan 400	Rodinal	1+25	1600	10	20C
Pan 400	Rodinal	1+50	400	23	20C
Pan F+	Rodinal	1+25	40	5	20C
Pan F+	Rodinal	1+50	50	11	20C
Pan F+	Rodinal	1+25	50	6	20C
Pan F+	Rodinal	1+50	64	12	20C
Pan F+	Rodinal	1+50	80	13.5	20C
Plus-X	Rodinal	1+25	125	6	20C
Plus-X	Rodinal	1+85	200	12	20C
Polypan F	Rodinal	1+25	50	6	20C
Polypan F	Rodinal	1+50	50	7-8	20C

Polypan F	Rodinal	1+50	100	17	20C
Recording Film	Rodinal	1+25	640-1000	4.5	20C
Recording Film	Rodinal	1+50	640-1000	10	20C
Rollei ATP 1.1	Rodinal	1+300	25	12	20C
Rollei Infrared 400	Rodinal	1+50	400 (25)	12	20C
Rollei Infrared 400	Rodinal	1+25	400 (10-25)	8	20C
Rollei Ortho 25	Rodinal	1+50	25	6 - 12	20C
Rollei Ortho 25	Rodinal	1+25	25	4 - 8	20C
Rollei Pan 25	Rodinal	1+50	25	11	20C
Rollei Pan 25	Rodinal	1+25	25	6	20C
Rollei Retro 100	Rodinal	1+50	50	11.5	20C
Rollei Retro 100	Rodinal	1+25	64	7.5	20C
Rollei Retro 100	Rodinal	1+50	100	13	20C
Rollei Retro 100	Rodinal	1+25	100	8.5	20C
Rollei Retro 100	Rodinal	1+50	160	17	20C
Rollei Retro 100	Rodinal	1+25	200	11	20C
Rollei Retro 400	Rodinal	1+25	400	10	20C
Rollei Retro 400	Rodinal	1+25	250	5	20C
Rollei Retro 400	Rodinal	1+50	250	8	20C
Rollei Retro 400	Rodinal	1+25	320	10	20C
Rollei Retro 400S	Rodinal	1+25	400	11	20C
Rollei Superpan 200	Rodinal	1+25	200	8	20C
Rollei Superpan 200	Rodinal	1+50	200	17	20C
SFX 200	Rodinal	1+49	200		20C
SFX 200	Rodinal	1+50	200	10	20C
SFX 200	Rodinal	1+25	200	6	20C
Shanghai GP3 Pan 100	Rodinal	1+50	100		20C
Shanghai GP3 Pan 100	Rodinal	1+50	100		20C
SHD 100	Rodinal	1+25	100	6.5	20C
SHD 100	Rodinal	1+50	100		20C
SHD 100	Rodinal	1+25	200	9.5	20C
SHD 400	Rodinal	1+50	400	14-16	20C
SHD 400	Rodinal	1+25	400		20C
Svema 200 Reporter	Rodinal	1+25	200	5	18C
Svema A2-SH	Rodinal	1+50	400	20	20C
Svema FN64	Rodinal	1+25	64	6.25	20C

Svema FN64	Rodinal	1+50	64	10.5	20C
Tasma FN64	Rodinal	1+50	64-125	11	20C
Technical Pan	Rodinal	1+100	16	4	20C
Technical Pan	Rodinal	1+300	25	30	20C
Technical Pan	Rodinal	1+150	25-64	7	20C
Technical Pan	Rodinal	1+100	25	7-9	20C
Technical Pan	Rodinal	1+300	25-64	12	20C
Technical Pan	Rodinal	1+50	25	4.5	20C
TMax 100	Rodinal	1+50	50	10	20C
TMax 100	Rodinal	1+75	50	17	20C
TMax 100	Rodinal	1+25	64-100	5.5-6	20C
TMax 100	Rodinal	1+50	80-100	12	20C
TMax 100	Rodinal	1+75	100		20C
TMax 400	Rodinal	1+25	320	5	20C
TMax 400	Rodinal	1+50	320	9	20C
TMax 400	Rodinal	1+50	400	11	20C
TMax 400	Rodinal	1+80	400	16	21C
TMax 400	Rodinal	1+25	400	5	20C
TMax P3200	Rodinal	1+24	1000	7	20C
TMax P3200	Rodinal	1+50	1250-3200	16	20C
TMax P3200	Rodinal	1+25	1250-3200	8	20C
TMax P3200	Rodinal	1+25	6400	10.5	20C
Tri-X 320	Rodinal	1+25	200		20C
Tri-X 320	Rodinal	1+50	320		20C
Tri-X 320	Rodinal	1+50	320		21C
Tri-X 400	Rodinal	1+50	100	7.5	20C
Tri-X 400	Rodinal	1+50	200	9	20C
Tri-X 400	Rodinal	1+25	320	6	20C
Tri-X 400	Rodinal	1+50	400	14	20C
Tri-X 400	Rodinal	1+25	400	7	20C
Tri-X 400	Rodinal	1+75	400	17.5	20C
Tri-X 400	Rodinal	1+35	400	10	20C
Tri-X 400	Rodinal	1+60	400	15	20C
Tri-X 400	Rodinal	1+50	640	15.5	20C
Tri-X 400	Rodinal	1+50	800	16.5	20C
Tri-X 400	Rodinal	1+50	1600	18.5	20C

Tri-X 400	Rodinal	1+50	3200	33	20C
Tri-X 400	Rodinal	1+50	3200	33	20C
Tri-X 400	Rodinal	1+50	12800	51	20C
Universal 100	Rodinal	1+25	100	5.5	20C
Universal 100	Rodinal	1+25	200	8.5	20C

Mit freundlicher Unterstützung von Digitaltruth

Die in der Tabelle angegebenen Filmentwicklungszeiten sind Anhaltswerte auf $\gamma_{0,65}$.